



# Monitor arm

## Technical Specifications.




**Tilt & Pan - 110 Deg Tilt & 180 Deg Pan Adjustment**



### Mounting Options

- Both are provided



- Easy and safe push-button monitor position adjustment from a seated position
- Quick release with 90 degree portrait to landscape screen rotation and secure fastening option
- Discreet, effective cable management that allows for easy monitor adjustment
- Bolt through or desk clamp mounting included in the box
- Elegant, simple design appeal with 3 colour options to suit your work environment

### Specifications

Weight Capacity	8kg (17.6lbs) per Arm
Height Adjustment	Single Arm 330mm Double Arm 250mm
Tilt / Pan Adjustment	110 deg / 180 deg
Monitor Mounting	All VESA compliant monitors (75 or 100mm square)
Worktop Thickness	Bolt Through 18 - 33mm Desk Clamp 18 - 33mm

### Colours and Finishes

- Polished - Polished Arms, Silver Post, Black Detailing
- White - Gloss White Arms, Silver Post, White Detailing
- Black - Matte Black Arms, Black Post, Black Detailing


### Warranty

7 Year limited warranty

### Technical Specifications


Due to continuing product development, the manufacturer reserves the right to alter specifications without notice.

## Single Arm - Side View




## Double Arm - Side View

- Add-on-Arm allows for screens to be mounted at the same height or independently adjusted




## Worktop Cut Outs - Recommended Hole Offsets


- Choose 1 of 3 cutout sizes, (Worktop offsets are only recommendations)



## Add-on-Arm - Installation




## VESA Mounting



## Quick Release Mounting - Safe and Simple

- Grub Screw for security locking




## Technical Specifications

Due to continuing product development, the manufacturer reserves the right to alter specifications without notice.


# Monitor arm

## Installation Instructions.


**COMPONENT CHECKLIST** - Please ensure that all parts have been received against the checklist below prior to




### Blister Pack 1 - Mounting Components.



### Blister Pack 2 - Post Components.




### Blister Pack 3 - Screen Mounting Components.




## Step 1 - Bolt Through Mounting - For Desk Clamp Mounting see over.

### A - Post to Base Orientation.




**Note**  
Open slot in post determines position of the height adjustment button - refer to step 2 over  
(To change the orientation remove screw and re-position post in the location lugs N/S/E/W)

### B - Drill Worktop.



### C - Bolting Through Worktop.




## Installation Instructions


Due to continuing product development, the manufacturer reserves the right to alter specifications without notice.

## Step 1 - Desk Clamp Mounting



### A - Assemble Desk Clamp.




### B - Secure Desk Clamp.



## 2 - Attaching Post Components.




## 3 - Mounting the Display.




## 4 - Installing the monitor

**Note**  
To secure the screen to the arm tighten the grub screw under the pivot head.



## 5 - Cable Management.



## Installation Instructions

Due to continuing product development, the manufacturer reserves the right to alter specifications without notice.